ELSEVIER

Journal of Organometallic Chemistry 547 (1997) 369–370

Journal of Organometallic Chemistry

Author Index of Volume 547

An, K., 55
Ando, M., 199
Ang, H.G., 167

Badía, A., 121
Battaglini, F., 1
Baudry, D., 157
Bianchi, M., 35
Bitterwolf, T.E., 23
Blake, A.J., 235
Bochkarev, L.N., 65
Boni, G., 141
Bonnet, G., 141
Bosque, R., 309
Brook, M.A., 217

Calvo, E.J., 1
Carluccio, L.C., 35
Castiñeiras, A., 297
Chan, A.S.C., 263
Chen, H., 253
Chen, W., 263
Chen, X., 263
Chesnokova, T.A., 113
Chiulli, R.J., 173
Choy, W.Y., 167
Ciruelo, G., 287
Crespo, O., 89
Cross, G.H., 253
Cuenca, T., 287
Cutler, A.R., 173

Deelman, B.-J., 349
DiBiase Cavanaugh, M., 173
Dinger, M.B., 243
Doctorovich, F., 1
Domrachev, G.A., 113
Donkervoort, J.G., 349
Dormond, A., 157

Falvello, L.R., 121
Farfán, N., 71
Fernández, A., 297
Fernández, J.J., 297
Font-Bardia, M., 309
Frediani, P., 35
Fukin, G.K., 65

Gayoso, M., 297
Gimeno, M.C., 89
Giordano, R., 49
Gómez, R., 287
Gómez-Sal, P., 287
Gooßen, L.J., 357
Gregg, B.T., 173
Grishin, Y.K., 183
Gupta, H.K., 217

Haener, J.L., 23
Hahn, J., 79
Hall, C.D., 281
Halterman, R.L., 41
Hamor, T.A., 253
Harding, C.J., 253
Henderson, W., 243
Hengge, E., 227
Herrmann, W.A., 357
Herzog, U., 133
Hiraki, K., 199
Hodson, A.G.W., 343
Höpfl, H., 71
Howard, J.A.K., 183
Huang, J., 263
Huo, S., 209

Ibaraki, S., 199
Ishida, T., 209
Ishikawa, M., 149

Jastrzebski, J.T.B.H., 349
Jin, X., 263
Jones, C.J., 253
Jones, P.G., 89

Kainz, S., 217
Kallinen, K.O., 319
Kawashima, J.K., 199
Kazennova, N.B., 183
Khorshev, S.Ya., 65
Kim, C., 55
Klapshina, L.G., 113
Kornev, A.N., 113
Kronenburg, C.M.P., 349
Kubicki, M.M., 141
Kunai, A., 149
Kuzmina, L.G., 183

Lachot, B., 157
Laguna, A., 89
Laine, E., 129
Lan, L., 167
Lassacher, P., 227
Lavastre, O., 141
Lee, K.K.-H., 329
Leino, R., 129
Lemenovskii, D.A., 183, 235
Li, G., 263
López, C., 309
Lorberth, J., 235
Luttikhedde, H.J.G., 129

Martín, A., 287
McGlinchey, M.J., 217
McKinney, J.D., 253
McQuillan, F.S., 253
Meng, E.F.K., 167
Moïse, C., 141

Naka, A., 149
Näsman, J.H., 129
Naumann, D., 79
Navarro, R., 121
Nikitinsky, A.V., 65
Nikonov, G.I., 183, 235
Nishihara, Y., 209
Nyburg, S.C., 281

Okada, T., 149
Onishi, M., 199
Ono, Y., 199
Orlov, N.A., 65
Ortigueira, J.M., 297

Pakkanen, T.A., 319
Pakkanen, T.T., 319
Patel, P.P., 103
Pereira, Ma.T., 297
Predieri, G., 49

Qian, Y., 263

Ramsey, T.M., 41
Rheingold, A.L., 23
Rodríguez, G., 287
Roewer, G., 133
Rosi, L., 35
Royo, P., 287
Ruffolo, R., 217
Rusakov, V.S., 113

Salvini, A., 35
Sappa, E., 49
Schulze, N., 133
Semenov, V.V., 113

Elsevier Science S.A.

Shade, J.E., 23
Sillanpää, R., 129
Slaski, M., 253
Solans, X., 309
Spek, A.L., 349
Spiegler, M., 357
Stüger, H., 227
Suárez, A., 297

Tachikawa, H., 337
Takahashi, T., 209
Terry, M., 97
Tiripicchio, A., 49
Torres, M.L., 297
Trommer, K., 133
Truong, T.-K.-U., 281
Tyrra, W., 79

Urriolabeitia, E.P., 121

Van Koten, G., 349
Veldman, N., 349
Vila, J.M., 297
Visseaux, M., 157

Welker, M.E., 103
Wessel, W., 79
Wilén, C.-E., 129
Wocadlo, S., 235
Wong, W.-T., 329

Yang, J., 263
Yang, Q., 263
Yap, G.P.A., 23

Zakharov, L.N., 65, 113
Zhang, X., 97
Zhezlova, E.V., 113
Zhiltsov, S.F., 65
Zhu, G., 97
Zucchi, G., 157
Zybill, C.E., 167

ELSEVIER

Journal of Organometallic Chemistry 547 (1997) 371–375

Journal of Organometallic Chemistry

Subject Index of Volume 547

Acetylenes
Ligand exchange photochemistry of $M_2(CO)_4(\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ (M = Fe or Ru) and thermal acetylene exchange of $Ru_2(CO)(\mu\text{-}CO)[\mu\text{-}\eta^1\text{:}\eta^1\text{-}(C_6H_5)_2C_2](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$. The molecular structures of $Ru_2(CO)(\sigma\text{-}C_6H_5)(\mu\text{-}CO)[\mu\text{-}P(C_6H_5)_2](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ and $Ru_2(CO)(\mu\text{-}CO)[\mu\text{-}\eta^1,\eta^3\text{-}C_6H_5C{=}C(C_6H_5)O]\text{-}(\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ (T.E. Bitterwolf, J.L. Haener, J.E. Shade, A.L. Rheingold and G.P.A. Yap), 23

Alkyl derivatives
Synthesis and reactivity of new silyl substituted monocyclopentadienyl zirconium complexes. X-ray molecular structure of $[Zr\{\eta^5\text{-}C_5H_4(SiMe_2CH_2Ph)\}(CH_2Ph)_3]$ (G. Ciruelo, T. Cuenca, R. Gómez, P. Gómez-Sal, A. Martín, G. Rodríguez and P. Royo), 287

Alkylhafnocene chloride
Preparation and reactions of Cp_2HfRCl, Cp_2HfRR' and hafnacyclopent-2-enes (Y. Nishihara, T. Ishida, S. Huo and T. Takahashi), 209

Aminosilanes
Aminochlorodisilanes: precursors to multifunctionalized disilane derivatives (H. Stüger, P. Lassacher and E. Hengge), 227

ansa-Metallocene
Synthesis and molecular structure of *rac*-methylenebis(4,5,6,7-tetrahydro-1-indenyl)titanium dichloride (H.J.G. Luttikhedde, R. Leino, C.-E. Wilén, E. Laine, R. Sillanpää and J.H. Näsman), 129

Arsenic
Monoarsenic, diarsenic and mixed phosphorus–arsenic substituted niobocenes (G.I. Nikonov, A.J. Blake, J. Lorberth, D.A. Lemenovskii and S. Wocadlo), 235

Aryltitanium(IV) complexes
Aryltitanium(IV) complexes with the η^3-C,N,N′-pseudofacially coordinating ligand $[C_6H_4(CH_2N(Me)CH_2CH_2NMe_2)\text{-}2]^-$. The X-ray crystal structure of $[TiCl_2(CNN)(O\text{-}i\text{-}Pr)]$ (J.G. Donkervoort, C.M.P. Kronenburg, B.-J. Deelman, J.T.B.H. Jastrzebski, N. Veldman, A.L. Spek and G. Van Koten), 349

Azamacrocycle
The azamacrocyclic derivatives of $H_4Ru_4(CO)_{12}$ and their reactivity with CO and catalytic activity in the methanol carbonylation and in the water–gas shift reaction (K.O. Kallinen, T.T. Pakkanen and T.A. Pakkanen), 319

Bimetallic complexes
Ligand exchange photochemistry of $M_2(CO)_4(\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ (M = Fe or Ru) and thermal acetylene exchange of $Ru_2(CO)(\mu\text{-}CO)[\mu\text{-}\eta^1\text{:}\eta^1\text{-}(C_6H_5)_2C_2](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$. The molecular structures of $Ru_2(CO)(\sigma\text{-}C_6H_5)(\mu\text{-}CO)[\mu\text{-}P(C_6H_5)_2](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ and $Ru_2(CO)(\mu\text{-}CO)[\mu\text{-}\eta^1,\eta^3\text{-}C_6H_5C{=}C(C_6H_5)O]\text{-}(\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ (T.E. Bitterwolf, J.L. Haener, J.E. Shade, A.L. Rheingold and G.P.A. Yap), 23

Carbene
Conversion of meso-alkenes to chiral alkenes via titanocene-catalyzed ring-opening/ring-closing olefin metathesis (R.L. Halterman and T.M. Ramsey), 41

Carbenoid
The carbenoid nature of halophosphines. Carbene-like insertion mechanism in the reaction of chlorophosphines with Cp_2NbH_3 (G.I. Nikonov, Y.K. Grishin, D.A. Lemenovskii, N.B. Kazennova, L.G. Kuzmina and J.A.K. Howard), 183

Carbonyls
Ligand exchange photochemistry of $M_2(CO)_4(\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ (M = Fe or Ru) and thermal acetylene exchange of $Ru_2(CO)(\mu\text{-}CO)[\mu\text{-}\eta^1\text{:}\eta^1\text{-}(C_6H_5)_2C_2](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$. The molecular structures of $Ru_2(CO)(\sigma\text{-}C_6H_5)(\mu\text{-}CO)[\mu\text{-}P(C_6H_5)_2](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ and $Ru_2(CO)(\mu\text{-}CO)[\mu\text{-}\eta^1,\eta^3\text{-}C_6H_5C{=}C(C_6H_5)O]\text{-}(\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ (T.E. Bitterwolf, J.L. Haener, J.E. Shade, A.L. Rheingold and G.P.A. Yap), 23

Chiral
Selective cleavage of a P–N bond promoted by alcohols in *cis*-$[Cl_2M\{S\text{-}(Ph_2P)_2NC(H)(R')(R'')\}]$ complexes (M = Pd, Pt). X-ray crystal structure of *cis*-$[Cl_2Pt(PPh_2OMe)(S\text{-}Ph_2PN(H)C(H)(Me)(Ph))]\cdot 0.75MeOH$ (A. Badía, L.R. Falvello, R. Navarro and E.P. Urriolabeitia), 121

Chiral bis(cyclopentadienyl)titanium dichloride
Conversion of meso-alkenes to chiral alkenes via titanocene-catalyzed ring-opening/ring-closing olefin metathesis (R.L. Halterman and T.M. Ramsey), 41

Chlorophosphine
The carbenoid nature of halophosphines. Carbene-like insertion mechanism in the reaction of chlorophosphines with Cp_2NbH_3 (G.I. Nikonov, Y.K. Grishin, D.A. Lemenovskii, N.B. Kazennova, L.G. Kuzmina and J.A.K. Howard), 183

Cleavage
Selective cleavage of a P–N bond promoted by alcohols in *cis*-$[Cl_2M\{S\text{-}(Ph_2P)_2NC(H)(R')(R'')\}]$ complexes (M = Pd, Pt). X-ray crystal structure of *cis*-$[Cl_2Pt(PPh_2OMe)(S\text{-}Ph_2PN(H)C(H)(Me)(Ph))]\cdot 0.75MeOH$ (A. Badía, L.R. Falvello, R. Navarro and E.P. Urriolabeitia), 121

Cluster
The azamacrocyclic derivatives of $H_4Ru_4(CO)_{12}$ and their reactivity with CO and catalytic activity in the methanol carbonylation and in the water–gas shift reaction (K.O. Kallinen, T.T. Pakkanen and T.A. Pakkanen), 319

Copper
Synthesis and crystal structure of cationic complex of ytterbium with organogermanium cuprate anions $\{[Yb(THF)_6]^{2+}[(Ph_3Ge)_2Cu]_2^-\}\cdot 2THF$ (N.A. Orlov, L.N. Bochkarev, A.V. Nikitinsky, S.F. Zhiltsov, L.N. Zakharov, G.K. Fukin and S.Ya. Khorshev), 65

Crystal structure
Organogold(III) metallacyclic chemistry. Part 1. Synthesis of the first auraoxodimethylenemethane (auracyclobutan-3-one) and aurathi-

Elsevier Science S.A.

etane-3,3-dioxide complexes. Crystal structure of [{C_6H_3(CH$_2$NMe$_2$)-2-(OMe)-5}Au{CH(COPh)S(O)$_2$CH(COPh)}].C_6H_6 (M.B. Dinger and W. Henderson), 243

The magnetic and second-order nonlinear optical properties of some paramagnetic salts containing metallocarbaborane anions (J.D. McKinney, F.S. McQuillan, H. Chen, T.A. Hamor, C.J. Jones, M. Slaski, G.H. Cross and C.J. Harding), 253

Cuprate anion

Synthesis and crystal structure of cationic complex of ytterbium with organogermanium cuprate anions {[Yb(THF)$_6$]$^{2+}$[(Ph$_3$Ge)$_2$Cu]$_2^-$} · 2THF (N.A. Orlov, L.N. Bochkarev, A.V. Nikitinsky, S.F. Zhiltsov, L.N. Zakharov, G.K. Fukin and S.Ya. Khorshev), 65

Cyclopentadienyl complexes

Synthesis and reactivity of new silyl substituted monocyclopentadienyl zirconium complexes. X-ray molecular structure of [Zr{η^5-C_5H_4(SiMe$_2$CH$_2$Ph)}(CH$_2$Ph)$_3$] (G. Ciruelo, T. Cuenca, R. Gómez, P. Gómez-Sal, A. Martín, G. Rodríguez and P. Royo), 287

Cyclopentadienyls

Ligand exchange photochemistry of $M_2(CO)_4(\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ (M = Fe or Ru) and thermal acetylene exchange of $Ru_2(CO)(\mu\text{-}CO)[\mu\text{-}\eta^1\text{:}\eta^1\text{-}(C_6H_5)_2C_2](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$. The molecular structures of $Ru_2(CO)(\sigma\text{-}C_6H_5)(\mu\text{-}CO)[\mu\text{-}P(C_6H_5)_2](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ and $Ru_2(CO)(\mu\text{-}CO)[\mu\text{-}\eta^1,\eta^3\text{-}C_6H_5C{=}C(C_6H_5)O](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ (T.E. Bitterwolf, J.L. Haener, J.E. Shade, A.L. Rheingold and G.P.A. Yap), 23

Dialkylhafnocene

Preparation and reactions of Cp$_2$HfRCl, Cp$_2$HfRR′ and hafnacyclopent-2-enes (Y. Nishihara, T. Ishida, S. Huo and T. Takahashi), 209

Diphosphazane

Selective cleavage of a P–N bond promoted by alcohols in *cis*-[Cl$_2$M{*S*-(Ph$_2$P)$_2$NC(H)(R′)(R″)}] complexes (M = Pd, Pt). X-ray crystal structure of *cis*-[Cl$_2$Pt(PPh$_2$OMe){*S*-Ph$_2$PN(H)C(H)(Me)(Ph)}] · 0.75MeOH (A. Badía, L.R. Falvello, R. Navarro and E.P. Urriolabeitia), 121

Disilanes

Aminochlorodisilanes: precursors to multifunctionalized disilane derivatives (H. Stüger, P. Lassacher and E. Hengge), 227

Dithiolate complexes

Synthesis of gold(III) complexes with the 1,2-dithiolate-*o*-carborane ligand. Crystal structures of [N(PPh$_3$)$_2$][AuCl$_2$($S_2C_2B_{10}H_{10}$)] and [AuCl($S_2C_2B_{10}H_{10}$)(CH$_2$PPh$_3$)] (O. Crespo, M.C. Gimeno, P.G. Jones and A. Laguna), 89

^{19}F- and ^{109}Ag-NMR data

Darstellung, NMR-spektroskopische Charakterisierung und Reaktionen von Perfluoralkylsilber(I)-Verbindungen (D. Naumann, W. Wessel, J. Hahn and W. Tyrra), 79

Ferrocenyl

The magnetic and second-order nonlinear optical properties of some paramagnetic salts containing metallocarbaborane anions (J.D. McKinney, F.S. McQuillan, H. Chen, T.A. Hamor, C.J. Jones, M. Slaski, G.H. Cross and C.J. Harding), 253

Fluorene

Synthesis and molecular structure of *rac*-methylenebis(4,5,6,7-tetrahydro-1-indenyl)titanium dichloride (H.J.G. Luttikhedde, R. Leino, C.-E. Wilén, E. Laine, R. Sillanpää and J.H. Näsman), 129

Functionalized *N*-heterocyclic carbenes

Functionalized imidazoline-2-ylidene complexes of rhodium and palladium (W.A. Herrmann, L.J. Gooßen and M. Spiegler), 357

Germanium

Synthesis and crystal structure of cationic complex of ytterbium with organogermanium cuprate anions {[Yb(THF)$_6$]$^{2+}$[(Ph$_3$Ge)$_2$Cu]$_2^-$} · 2THF (N.A. Orlov, L.N. Bochkarev, A.V. Nikitinsky, S.F. Zhiltsov, L.N. Zakharov, G.K. Fukin and S.Ya. Khorshev), 65

Gold

Organogold(III) metallacyclic chemistry. Part 1. Synthesis of the first auraoxodimethylenemethane (auracyclobutan-3-one) and aurathietane-3,3-dioxide complexes. Crystal structure of [{C_6H_3(CH$_2$NMe$_2$)-2-(OMe)-5}Au{CH(COPh)S(O)$_2$CH(COPh)}].C_6H_6 (M.B. Dinger and W. Henderson), 243

Gold(III)

Synthesis of gold(III) complexes with the 1,2-dithiolate-*o*-carborane ligand. Crystal structures of [N(PPh$_3$)$_2$][AuCl$_2$($S_2C_2B_{10}H_{10}$)] and [AuCl($S_2C_2B_{10}H_{10}$)(CH$_2$PPh$_3$)] (O. Crespo, M.C. Gimeno, P.G. Jones and A. Laguna), 89

Hafnacyclopentadiene

Preparation and reactions of Cp$_2$HfRCl, Cp$_2$HfRR′ and hafnacyclopent-2-enes (Y. Nishihara, T. Ishida, S. Huo and T. Takahashi), 209

Hafnacyclopent-2-ene

Preparation and reactions of Cp$_2$HfRCl, Cp$_2$HfRR′ and hafnacyclopent-2-enes (Y. Nishihara, T. Ishida, S. Huo and T. Takahashi), 209

Heterobimetallic complexes

Mono- and di-bridged heterobimetallic systems from group 5 hydride phosphido and hydride phosphino metalloligands. Crystal structure of Cp$_2$Ta(H)(μ-H)(μ-PMe$_2$)Cr(CO)$_4$ (O. Lavastre, G. Bonnet, G. Boni, M.M. Kubicki and C. Moïse), 141

Homogeneous catalysis

The azamacrocyclic derivatives of $H_4Ru_4(CO)_{12}$ and their reactivity with CO and catalytic activity in the methanol carbonylation and in the water–gas shift reaction (K.O. Kallinen, T.T. Pakkanen and T.A. Pakkanen), 319

Host–guest

New macrocyclic oligoboronates (H. Höpfl and N. Farfán), 71

Hydrides

Monoarsenic, diarsenic and mixed phosphorus–arsenic substituted niobocenes (G.I. Nikonov, A.J. Blake, J. Lorberth, D.A. Lemenovskii and S. Wocadlo), 235

The carbenoid nature of halophosphines. Carbene-like insertion mechanism in the reaction of chlorophosphines with Cp$_2$NbH$_3$ (G.I. Nikonov, Y.K. Grishin, D.A. Lemenovskii, N.B. Kazennova, L.G. Kuzmina and J.A.K. Howard), 183

Hydrido bridge

Mono- and di-bridged heterobimetallic systems from group 5 hydride phosphido and hydride phosphino metalloligands. Crystal structure of Cp$_2$Ta(H)(μ-H)(μ-PMe$_2$)Cr(CO)$_4$ (O. Lavastre, G. Bonnet, G. Boni, M.M. Kubicki and C. Moïse), 141

Hydrochlorodisilanes

Aminochlorodisilanes: precursors to multifunctionalized disilane derivatives (H. Stüger, P. Lassacher and E. Hengge), 227

Imidazoline-2-ylidenes

Functionalized imidazoline-2-ylidene complexes of rhodium and palladium (W.A. Herrmann, L.J. Gooßen and M. Spiegler), 357

Indene

Synthesis and molecular structure of *rac*-methylenebis(4,5,6,7-tetrahydro-1-indenyl)titanium dichloride (H.J.G. Luttikhedde, R. Leino, C.-E. Wilén, E. Laine, R. Sillanpää and J.H. Näsman), 129

Insertion reaction
Monoarsenic, diarsenic and mixed phosphorus–arsenic substituted niobocenes (G.I. Nikonov, A.J. Blake, J. Lorberth, D.A. Lemenovskii and S. Wocadlo), 235
Insertion reactions
The carbenoid nature of halophosphines. Carbene-like insertion mechanism in the reaction of chlorophosphines with Cp_2NbH_3 (G.I. Nikonov, Y.K. Grishin, D.A. Lemenovskii, N.B. Kazennova, L.G. Kuzmina and J.A.K. Howard), 183
Iron
Ferrous tris(trimethylsilyl)silanolates: synthesis, structure, reactivity and thermal decomposition (A.N. Kornev, T.A. Chesnokova, V.V. Semenov, E.V. Zhezlova, L.N. Zakharov, L.G. Klapshina, G.A. Domrachev and V.S. Rusakov), 113
Ligand exchange photochemistry of $M_2(CO)_4(\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ (M = Fe or Ru) and thermal acetylene exchange of $Ru_2(CO)(\mu\text{-}CO)[\mu\text{-}\eta^1\text{:}\eta^1\text{-}(C_6H_5)_2C_2](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$. The molecular structures of $Ru_2(CO)(\sigma\text{-}C_6H_5)(\mu\text{-}CO)[\mu\text{-}P(C_6H_5)_2](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ and $Ru_2(CO)(\mu\text{-}CO)[\mu\text{-}\eta^1,\eta^3\text{-}C_6H_5C{=}C(C_6H_5)O](\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ (T.E. Bitterwolf, J.L. Haener, J.E. Shade, A.L. Rheingold and G.P.A. Yap), 23

Lanthanide complexes
Synthesis and crystal structure of cationic complex of ytterbium with organogermanium cuprate anions $\{[Yb(THF)_6]^{2+}[(Ph_3Ge)_2Cu]_2^-\}\cdot 2THF$ (N.A. Orlov, L.N. Bochkarev, A.V. Nikitinsky, S.F. Zhiltsov, L.N. Zakharov, G.K. Fukin and S.Ya. Khorshev), 65

Macrocyclic boron complexes
New macrocyclic oligoboronates (H. Höpfl and N. Farfán), 71
Magnetism
The magnetic and second-order nonlinear optical properties of some paramagnetic salts containing metallocarbaborane anions (J.D. McKinney, F.S. McQuillan, H. Chen, T.A. Hamor, C.J. Jones, M. Slaski, G.H. Cross and C.J. Harding), 253
Metallacycle
Organogold(III) metallacyclic chemistry. Part 1. Synthesis of the first auraoxodimethylenemethane (auracyclobutan-3-one) and aurathietane-3,3-dioxide complexes. Crystal structure of $[\{C_6H_3(CH_2NMe_2)\text{-}2\text{-}(OMe)\text{-}5\}Au\{CH(COPh)S(O)_2CH(COPh)\}].C_6H_6$ (M.B. Dinger and W. Henderson), 243
Metallocarbaborane
The magnetic and second-order nonlinear optical properties of some paramagnetic salts containing metallocarbaborane anions (J.D. McKinney, F.S. McQuillan, H. Chen, T.A. Hamor, C.J. Jones, M. Slaski, G.H. Cross and C.J. Harding), 253
Metalloligand
Mono- and di-bridged heterobimetallic systems from group 5 hydride phosphido and hydride phosphino metalloligands. Crystal structure of $Cp_2Ta(H)(\mu\text{-}H)(\mu\text{-}PMe_2)Cr(CO)_4$ (O. Lavastre, G. Bonnet, G. Boni, M.M. Kubicki and C. Moïse), 141
Monoanionic aryldiamine ligand
Aryltitanium(IV) complexes with the η^3-C,N,N'-pseudofacially coordinating ligand $[C_6H_4(CH_2N(Me)CH_2CH_2NMe_2)\text{-}2]^-$. The X-ray crystal structure of $[TiCl_2(CNN)(O\text{-}i\text{-}Pr)]$ (J.G. Donkervoort, C.M.P. Kronenburg, B.-J. Deelman, J.T.B.H. Jastrzebski, N. Veldman, A.L. Spek and G. Van Koten), 349
Mössbauer spectra
Ferrous tris(trimethylsilyl)silanolates: synthesis, structure, reactivity and thermal decomposition (A.N. Kornev, T.A. Chesnokova, V.V. Semenov, E.V. Zhezlova, L.N. Zakharov, L.G. Klapshina, G.A. Domrachev and V.S. Rusakov), 113
Niobium
Mono- and di-bridged heterobimetallic systems from group 5 hydride phosphido and hydride phosphino metalloligands. Crystal structure of $Cp_2Ta(H)(\mu\text{-}H)(\mu\text{-}PMe_2)Cr(CO)_4$ (O. Lavastre, G. Bonnet, G. Boni, M.M. Kubicki and C. Moïse), 141
Monoarsenic, diarsenic and mixed phosphorus–arsenic substituted niobocenes (G.I. Nikonov, A.J. Blake, J. Lorberth, D.A. Lemenovskii and S. Wocadlo), 235
The carbenoid nature of halophosphines. Carbene-like insertion mechanism in the reaction of chlorophosphines with Cp_2NbH_3 (G.I. Nikonov, Y.K. Grishin, D.A. Lemenovskii, N.B. Kazennova, L.G. Kuzmina and J.A.K. Howard), 183
o-carborane
Synthesis of gold(III) complexes with the 1,2-dithiolate-*o*-carborane ligand. Crystal structures of $[N(PPh_3)_2][AuCl_2(S_2C_2B_{10}H_{10})]$ and $[AuCl(S_2C_2B_{10}H_{10})(CH_2PPh_3)]$ (O. Crespo, M.C. Gimeno, P.G. Jones and A. Laguna), 89

Olefin metathesis
Conversion of meso-alkenes to chiral alkenes via titanocene-catalyzed ring-opening/ring-closing olefin metathesis (R.L. Halterman and T.M. Ramsey), 41
Organometallic
Organogold(III) metallacyclic chemistry. Part 1. Synthesis of the first auraoxodimethylenemethane (auracyclobutan-3-one) and aurathietane-3,3-dioxide complexes. Crystal structure of $[\{C_6H_3(CH_2NMe_2)\text{-}2\text{-}(OMe)\text{-}5\}Au\{CH(COPh)S(O)_2CH(COPh)\}].C_6H_6$ (M.B. Dinger and W. Henderson), 243
Oxodimethylenemethane
Organogold(III) metallacyclic chemistry. Part 1. Synthesis of the first auraoxodimethylenemethane (auracyclobutan-3-one) and aurathietane-3,3-dioxide complexes. Crystal structure of $[\{C_6H_3(CH_2NMe_2)\text{-}2\text{-}(OMe)\text{-}5\}Au\{CH(COPh)S(O)_2CH(COPh)\}].C_6H_6$ (M.B. Dinger and W. Henderson), 243

Palladium
Selective cleavage of a P–N bond promoted by alcohols in *cis*-$[Cl_2M\{S\text{-}(Ph_2P)_2NC(H)(R')(R'')\}]$ complexes (M = Pd, Pt). X-ray crystal structure of *cis*-$[Cl_2Pt(PPh_2OMe)\{S\text{-}Ph_2PN(H)C(H)(Me)(Ph)\}]\cdot 0.75MeOH$ (A. Badía, L.R. Falvello, R. Navarro and E.P. Urriolabeitia), 121
Perfluoroalkylating reagents
Darstellung, NMR-spektroskopische Charakterisierung und Reaktionen von Perfluoralkylsilber(I)-Verbindungen (D. Naumann, W. Wessel, J. Hahn and W. Tyrra), 79
Perfluoroalkylsilver(I) complexes
Darstellung, NMR-spektroskopische Charakterisierung und Reaktionen von Perfluoralkylsilber(I)-Verbindungen (D. Naumann, W. Wessel, J. Hahn and W. Tyrra), 79
Phosphido bridge
Mono- and di-bridged heterobimetallic systems from group 5 hydride phosphido and hydride phosphino metalloligands. Crystal structure of $Cp_2Ta(H)(\mu\text{-}H)(\mu\text{-}PMe_2)Cr(CO)_4$ (O. Lavastre, G. Bonnet, G. Boni, M.M. Kubicki and C. Moïse), 141
Phosphorus
Monoarsenic, diarsenic and mixed phosphorus–arsenic substituted niobocenes (G.I. Nikonov, A.J. Blake, J. Lorberth, D.A. Lemenovskii and S. Wocadlo), 235
Photochemistry
Ligand exchange photochemistry of $M_2(CO)_4(\mu\text{-}\eta^5,\eta^5\text{-}C_5H_4CH_2C_5H_4)$ (M = Fe or Ru) and thermal acetylene exchange of $Ru_2(CO)(\mu\text{-}CO)[\mu\text{-}\eta^1\text{:}\eta^1\text{-}(C_6H_5)_2C_2](\mu\text{-}\eta^5,\eta^5\text{-}$

$C_5H_4CH_2C_5H_4$). The molecular structures of $Ru_2(CO)(\sigma$-$C_6H_5)(\mu$-$CO)(\mu$-$P(C_6H_5)_2)(\mu$-η^5,η^5-$C_5H_4CH_2C_5H_4)$ and $Ru_2(CO)(\mu$-$CO)(\mu$-η^1,η^3-$C_6H_5C{=}C(C_6H_5)O]$-$(\mu$-η^5,η^5-$C_5H_4CH_2C_5H_4)$ (T.E. Bitterwolf, J.L. Haener, J.E. Shade, A.L. Rheingold and G.P.A. Yap), 23

Platinum

Selective cleavage of a P–N bond promoted by alcohols in *cis*-$[Cl_2M\{S$-$(Ph_2P)_2NC(H)(R')(R'')\}]$ complexes (M = Pd, Pt). X-ray crystal structure of *cis*-$[Cl_2Pt(PPh_2OMe)\{S$-$Ph_2PN(H)C(H)(Me)(Ph)\}]\cdot 0.75MeOH$ (A. Badía, L.R. Falvello, R. Navarro and E.P. Urriolabeitia), 121

Reactions with vinylphosphines

The oxidative addition of a vinylic C–H bond of divinyl(phenyl)phosphine at $M_3(CO)_{12}$ carbonyls (M = Ru, Os). Stepwise formation and crystal structure of $[(\mu$-$H)Ru_3(CO)_8\{PPh(CH{=}CH_2)_2\}(\mu_3$-$PPh(CH{=}CH_2)(CH{=}CH)\}]$ (R. Giordano, E. Sappa, G. Predieri and A. Tiripicchio), 49

Reactivity

The azamacrocyclic derivatives of $H_4Ru_4(CO)_{12}$ and their reactivity with CO and catalytic activity in the methanol carbonylation and in the water–gas shift reaction (K.O. Kallinen, T.T. Pakkanen and T.A. Pakkanen), 319

Ruthenium

Ligand exchange photochemistry of $M_2(CO)_6(\mu$-η^5,η^5-$C_5H_4CH_2C_5H_4)$ (M = Fe or Ru) and thermal acetylene exchange of $Ru_2(CO)(\mu$-$CO)(\mu$-$\eta^1{:}\eta^1$-$(C_6H_5)_2C_2)(\mu$-η^5,η^5-$C_5H_4CH_2C_5H_4)$. The molecular structures of $Ru_2(CO)(\sigma$-$C_6H_5)(\mu$-$CO)(\mu$-$P(C_6H_5)_2)(\mu$-η^5,η^5-$C_5H_4CH_2C_5H_4)$ and $Ru_2(CO)(\mu$-$CO)(\mu$-η^1,η^3-$C_6H_5C{=}C(C_6H_5)O]$-$(\mu$-η^5,η^5-$C_5H_4CH_2C_5H_4)$ (T.E. Bitterwolf, J.L. Haener, J.E. Shade, A.L. Rheingold and G.P.A. Yap), 23

The oxidative addition of a vinylic C–H bond of divinyl(phenyl)phosphine at $M_3(CO)_{12}$ carbonyls (M = Ru, Os). Stepwise formation and crystal structure of $[(\mu$-$H)Ru_3(CO)_8\{PPh(CH{=}CH_2)_2\}(\mu_3$-$PPh(CH{=}CH_2)(CH{=}CH)\}]$ (R. Giordano, E. Sappa, G. Predieri and A. Tiripicchio), 49

Secondary harmonic generation

The magnetic and second-order nonlinear optical properties of some paramagnetic salts containing metallocarbaborane anions (J.D. McKinney, F.S. McQuillan, H. Chen, T.A. Hamor, C.J. Jones, M. Slaski, G.H. Cross and C.J. Harding), 253

Self-assembly

New macrocyclic oligoboronates (H. Höpfl and N. Farfán), 71

Silanolates

Ferrous tris(trimethylsilyl)silanolates: synthesis, structure, reactivity and thermal decomposition (A.N. Kornev, T.A. Chesnokova, V.V. Semenov, E.V. Zhezlova, L.N. Zakharov, L.G. Klapshina, G.A. Domrachev and V.S. Rusakov), 113

Stereoisomers

Aryltitanium(IV) complexes with the η^3-C,N,N′-pseudofacially coordinating ligand $[C_6H_4(CH_2N(Me)CH_2CH_2NMe_2)$-$2]^-$. The X-ray crystal structure of $[TiCl_2(CNN)(O$-i-$Pr)]$ (J.G. Donkervoort, C.M.P. Kronenburg, B.-J. Deelman, J.T.B.H. Jastrzebski, N. Veldman, A.L. Spek and G. Van Koten), 349

Stereoselective synthesis

Conversion of meso-alkenes to chiral alkenes via titanocene-catalyzed ring-opening/ring-closing olefin metathesis (R.L. Halterman and T.M. Ramsey), 41

Synthesis

The azamacrocyclic derivatives of $H_4Ru_4(CO)_{12}$ and their reactivity with CO and catalytic activity in the methanol carbonylation and in the water–gas shift reaction (K.O. Kallinen, T.T. Pakkanen and T.A. Pakkanen), 319

Tantalum

Mono- and di-bridged heterobimetallic systems from group 5 hydride phosphido and hydride phosphino metalloligands. Crystal structure of $Cp_2Ta(H)(\mu$-$H)(\mu$-$PMe_2)Cr(CO)_4$ (O. Lavastre, G. Bonnet, G. Boni, M.M. Kubicki and C. Moïse), 141

Titanacyclobutanes

Conversion of meso-alkenes to chiral alkenes via titanocene-catalyzed ring-opening/ring-closing olefin metathesis (R.L. Halterman and T.M. Ramsey), 41

Titanium

Conversion of meso-alkenes to chiral alkenes via titanocene-catalyzed ring-opening/ring-closing olefin metathesis (R.L. Halterman and T.M. Ramsey), 41

Synthesis and molecular structure of *rac*-methylenebis(4,5,6,7-tetrahydro-1-indenyl)titanium dichloride (H.J.G. Luttikhedde, R. Leino, C.-E. Wilén, E. Laine, R. Sillanpää and J.H. Näsman), 129

Transition metal chemistry

Aryltitanium(IV) complexes with the η^3-C,N,N′-pseudofacially coordinating ligand $[C_6H_4(CH_2N(Me)CH_2CH_2NMe_2)$-$2]^-$. The X-ray crystal structure of $[TiCl_2(CNN)(O$-i-$Pr)]$ (J.G. Donkervoort, C.M.P. Kronenburg, B.-J. Deelman, J.T.B.H. Jastrzebski, N. Veldman, A.L. Spek and G. Van Koten), 349

Transition-metal complexes

Functionalized imidazoline-2-ylidene complexes of rhodium and palladium (W.A. Herrmann, L.J. Gooßen and M. Spiegler), 357

Triaza ligand

The azamacrocyclic derivatives of $H_4Ru_4(CO)_{12}$ and their reactivity with CO and catalytic activity in the methanol carbonylation and in the water–gas shift reaction (K.O. Kallinen, T.T. Pakkanen and T.A. Pakkanen), 319

T_1-times

Darstellung, NMR-spektroskopische Charakterisierung und Reaktionen von Perfluoralkylsilber(I)-Verbindungen (D. Naumann, W. Wessel, J. Hahn and W. Tyrra), 79

X-ray diffraction

Ferrous tris(trimethylsilyl)silanolates: synthesis, structure, reactivity and thermal decomposition (A.N. Kornev, T.A. Chesnokova, V.V. Semenov, E.V. Zhezlova, L.N. Zakharov, L.G. Klapshina, G.A. Domrachev and V.S. Rusakov), 113

Synthesis and crystal structure of cationic complex of ytterbium with organogermanium cuprate anions $\{[Yb(THF)_6]^{2+}[(Ph_3Ge)_2Cu]_2^-\}\cdot 2THF$ (N.A. Orlov, L.N. Bochkarev, A.V. Nikitinsky, S.F. Zhiltsov, L.N. Zakharov, G.K. Fukin and S.Ya. Khorshev), 65

X-ray structure

Functionalized imidazoline-2-ylidene complexes of rhodium and palladium (W.A. Herrmann, L.J. Gooßen and M. Spiegler), 357

Selective cleavage of a P–N bond promoted by alcohols in *cis*-$[Cl_2M\{S$-$(Ph_2P)_2NC(H)(R')(R'')\}]$ complexes (M = Pd, Pt). X-ray crystal structure of *cis*-$[Cl_2Pt(PPh_2OMe)\{S$-$Ph_2PN(H)C(H)(Me)(Ph)\}]\cdot 0.75MeOH$ (A. Badía, L.R. Falvello, R. Navarro and E.P. Urriolabeitia), 121

Synthesis of gold(III) complexes with the 1,2-dithiolate-*o*-carborane ligand. Crystal structures of $[N(PPh_3)_2][AuCl_2(S_2C_2B_{10}H_{10})]$ and $[AuCl(S_2C_2B_{10}H_{10})(CH_2PPh_3)]$ (O. Crespo, M.C. Gimeno, P.G. Jones and A. Laguna), 89

The oxidative addition of a vinylic C–H bond of divinyl(phenyl)phosphine at $M_3(CO)_{12}$ carbonyls (M = Ru, Os). Stepwise formation and crystal structure of $[(\mu$-$H)Ru_3(CO)_8\{PPh(CH{=}CH_2)_2\}(\mu_3$-$PPh(CH{=}CH_2)(CH{=}CH)\}]$ (R. Giordano, E. Sappa, G. Predieri and A. Tiripicchio), 49

Ytterbium

Synthesis and crystal structure of cationic complex of ytterbium with organogermanium cuprate anions $\{[Yb(THF)_6]^{2+}[(Ph_3Ge)_2Cu]_2^-\}$

· 2THF (N.A. Orlov, L.N. Bochkarev, A.V. Nikitinsky, S.F. Zhiltsov, L.N. Zakharov, G.K. Fukin and S.Ya. Khorshev), 65

Zirconium

Synthesis and reactivity of new silyl substituted monocyclopentadienyl zirconium complexes. X-ray molecular structure of $[Zr\{\eta^5\text{-}C_5H_4(SiMe_2CH_2Ph)\}(CH_2Ph)_3]$ (G. Ciruelo, T. Cuenca, R. Gómez, P. Gómez-Sal, A. Martín, G. Rodríguez and P. Royo), 287